

SELECTING

PLANTS

FOR

POLLINATORS



A GUIDE FOR GARDENERS, FARMERS, AND LAND MANAGERS IN THE



MANITOULIN-LAKE SIMCOE ECOREGION

MANITOULIN ISLAND,

OWEN SOUND, STRATFORD,

OSHAWA, THE KAWARTHAS

AND

KINGSTON/BELLEVILLE AREA











TABLE OF CONTENTS

WHY SUPPORT POLLINATORS?	4
GETTING STARTED	5
MANITOULIN-LAKE SIMCOE	(
MEET THE POLLINATORS	8
PLANT TRAITS	10
DEVELOPING PLANTINGS	12
FARMS	13
PUBLIC LANDS	14
HOME LANDSCAPES	15
PLANTS THAT ATTRACT POLLINATORS	16
HABITAT HINTS	20
HABITAT AND NESTING REQUIREMENTS	2
S.H.A.R.E.	22
CHECKLIST	22
RESOURCES AND FEEDBACK	23

This is one of several guides for different regions of North America. We welcome your feedback to assist us in making the future guides useful. Please contact us at

feedback@pollinator.org

SELECTING PLANTS FOR POLLINATORS

A GUIDE FOR GARDENERS, FARMERS, AND LAND MANAGERS

IN THE

MANITOULIN - LAKE SIMCOE ECOREGION



KINGSTON/BELLEVILLE AREA

A NAPPC AND POLLINATOR PARTNERSHIP CANADA[®] PUBLICATION

Funding for this ecoregional guide was provided by Growing Forward 2



WHY SUPPORT POLLINATORS?

IN THEIR 1996 BOOK, *The Forgotten Pollinators*, Buchmann and Nabhan estimated that animal pollinators are needed for the reproduction of 90% of flowering plants and one third of human food crops. Each of us depends on these industrious pollinators in a practical way to provide us with the wide range of foods we eat. In addition, pollinators are part of the intricate web that supports the biological diversity in natural ecosystems that helps sustain our quality of life.

Abundant and healthy populations of pollinators can improve fruit set and quality, and increase fruit size. In farming situations this increases production per hectare. In the wild, biodiversity increases and wildlife food sources increase. Alfalfa, clover, soybeans, apples, blueberries, cucumbers, pumpkins, squash and tomatoes are some of the crop types grown in the Manitoulin-Lake Simcoe ecoregion that rely on honey bees and native bees for pollination. Honey bees pollinate more than \$1 billion worth of crops in Canada each year.

Unfortunately, the numbers of many native pollinators are declining. They are threatened by habitat loss, disease, climate change, and the excessive and inappropriate use of pesticides. As a result research and conservation actions supporting native pollinators are increasingly active. Honey bee colony losses have significantly impacted beekeepers. Parasites, disease, pesticide use, insufficient nutrition, and transportation practices all impact honey bee health, and this in turn can impact the commercial pollination services honey bees provide. The efforts to understand the threats to commercial bees should help us understand other pollinators and their roles in the environment as well.

It is imperative that we take immediate steps to help pollinator populations thrive. The beauty of the situation is that by supporting pollinators' need for habitat, we support our own needs for food and support diversity in the natural world.

Thank you for taking time to consult this guide. By adding plants to your landscape that provide food and shelter for pollinators throughout their active seasons and by adopting pollinator friendly landscape practices, you can make a difference to both the pollinators and the people that rely on them.

FLOWERING PLANTS

ACROSS WILD,

FARMED AND EVEN

URBAN LANDSCAPES

ACTUALLY FEED THE

TERRESTRIAL WORLD,

AND POLLINATORS

ARE THE GREAT

CONNECTORS WHO

ENABLE THIS GIANT

FOOD SYSTEM TO

WORK FOR ALL WHO

EAT... INCLUDING US.

ROGER LANG, CHAIRMAN,
 POLLINATOR PARTNERSHIP

We De

Val Dolcini President & CEO Pollinator Partnership





THIS REGIONAL GUIDE IS JUST ONE in a series of plant selection tools designed to provide you with information on how to plant local native plants for pollinators. Each of us can have a positive impact by providing the essential habitat requirements for pollinators including food, water, shelter, and enough space to raise their young.

Pollinators travel through the landscape without regard to property ownership or provincial boundaries. We've chosen to use the ecoregional classification system and to underscore the connections between climate and vegetation types that affect the diversity of pollinators in the environment.


The Canadian ecoregions are based on the National Ecological

Framework Report. The National Ecological Framework for Canada is a system created as a management tool and is used to predict responses to land management practices throughout large areas. This guide addresses pollinator-friendly land management practices in what is known as the Manitoulin–Lake Simcoe ecoregion.

The seasonal cycle of sun and shade within the forests has created a changing pattern of bloom time for food plants and shelter needs for foraging, nesting, and migrating pollinators. Farms and residential areas provide a diverse range of soil types in both sunny and shady areas. With this diversity of locations many different species of plants may be used to improve pollinator habitats where they are lacking.

Long before there were homes and farms in the Manitoulin-Lake Simcoe ecoregion, natural vegetation provided essential opportunities for wildlife, including pollinators. Farmers, land managers, and gardeners in this region have a wide palette of plants to use in the landscape. In choosing plants, aim to create habitat for pollinators that allow adequate food, shelter, and water sources. Most pollinators have very small home ranges. You will make a difference by understanding the vegetation patterns on the farm, forest, or neighbour's yard adjacent to your property. With this information in hand, your planting choices will better support the pollinators' need for food and shelter as they move through the landscape.

UNDERSTANDING THE MANITOULIN-LAKE SIMCOE



- The Manitoulin-Lake Simcoe ecoregion makes up the western portion of the Mixed Wood Plains ecozone, and includes the following ecoregions: St. Lawrence Lowlands, Frontenac Axis, and Lake Erie Lowlands. The geographic location, watersheds and combination of gentle topography, fertile soils, warm growing seasons and abundant rainfall have made this area intensely farmed and populated.
- Not sure about which region you live or work in? Go to www. pollinator.org and click on Ecoregion Locator for help.
- 🔀 46,600 square kilometres in Ontario.
- The topography includes till plains, lake plain, and rock landscapes.
- Elevations ranging from 117 to 337 metres.
- The mean summer temperature is 16.5°C and the mean winter temperature is -4.5°C.
- X Annual year round precipitation is between 750-1000 mm.
- Favourable climate patterns in the region support a strong agricultural economy. More than 60% of the ecoregion is classified as dependable agricultural land.

CHARACTERISTICS

- M Dominant land cover is agriculture with significant areas of mixed forest.
- Herbaceous layer of woodland forbs that bloom from spring into fall.
- 🔀 Dissected by population centres, farms, and roads.







Manitoulin-Lake Simcoe includes:

Kingston, Belleville,

Peterborough, Oshawa,

Kitchener, Waterloo,

Guelph, Barrie,

Owen Sound

and Stratford



MEET THE POLLINATORS



Ruby-throated Hummingbird, a summer species in the Manitoulin-Lake Simcoe ecoregion.

Eastern Tiger Swallowtail.



WHO ARE THE POLLINATORS?

BEES

Bees are the best documented pollinators in the natural and agricultural landscapes of the Manitoulin-Lake Simcoe ecoregion. A wide range of plants in the Aster and Rose Families, apples, strawberries and raspberries are just a few plants that benefit from bee pollinators.

Most of us are familiar with the colonies of honey bees that have been the workhorses of agricultural pollination for years in Canada. They were imported from Europe almost 400 years ago and continue to be managed for honey production and pollination services. There are over 800 species of native ground and twig nesting bees in Canada. Most of these bee species live a solitary life; a minority are social and form colonies or nest in aggregations.

Native bees visit and pollinate many crops; in many cases they are better at transferring pollen than honey bees. Our native bees can be encouraged to do more to support agricultural endeavours if their needs for nesting habitat are met and if suitable sources of nectar, pollen, and water are provided. Bees come in a variety of body shapes and sizes, and even have tongues of different lengths. Native bees visit the widest range of flowers and crops of any pollinator group.

Bumble bees (Bombus spp.) form small colonies, usually underground making use of old rodent burrows or dense thatches. They are generalists, feeding on a wide range of plant types from May to September and are important pollinators of

tomatoes and blueberries. Sweat bees (family Halictidae) are medium to small-sized, slender bees that commonly nest underground. Various species are solitary while others form loose colonies, nesting side-by-side. Other common solitary bees include carpenter bees (*Xylocopa virginica*), which nest by chewing into wood; mining bees (Andrena spp.), which nest underground and are common in the spring; leaf-cutter bees (Megachile spp.), which prefer dead trees or branches for their nest sites; and mason bees (Osmia spp.), which utilize cavities they find in stems and dead wood that they fill with mud.

BUTTERFLIES

Butterflies prefer open and sunny areas such as meadows and along woodland edges that provide bright flowers, water sources, and specific host plants for their caterpillars. Gardeners have been attracting butterflies to their gardens for some time. To encourage butterflies place flowering plants where they have full sun and are protected from the wind. They usually look for flowers that provide a good landing platform. Butterflies need open areas (e.g., bare earth, large stones) where they can bask, and moist soil from which they wick needed minerals. Butterflies eat rotten fruit and even dung, so don't clean up all the messes in your garden! By providing a safe place to eat and nest, gardeners can also support the pollination role that butterflies play in the landscape. In the Manitoulin-Lake Simcoe ecoregion it is common to see the Black Swallowtail (Papilio polyxenes), the Clouded Sulphur (Colias philodice), the Coral Hairstreak (Satyrium titus) and the Red Admiral (Vanessa atalanta).



MOTHS

Moths are most easily distinguished from butterflies by their antennae. Butterfly antennae are simple with a swelling at the end. Moth antennae differ from simple to featherlike, but never have a swelling at the tip. Butterfly bodies are not very hairy, while moth bodies are quite hairy and much more stout. In addition, butterflies typically are active during the day; moths at night. They are attracted to flowers that are strongly sweet smelling, open in late afternoon or night, and are typically white or pale coloured.

BEETLES

There are more than 9000 species of beetles in Canada and many of them can be found easily by looking inside flower heads. Gardeners have yet to intentionally draw beetles to their gardens, possibly because beetle watching isn't as inspiring as butterfly or bird watching. Yet beetles do play a role in pollination. Some have a bad reputation because they can leave a mess behind, damaging plant parts as they eat pollen. Beetle pollinated plants tend to be large, strong scented flowers and have the anthers and stigma exposed. Beetles are known to pollinate magnolia, paw paws, and yellow pond lilies.

FLIES

It may be hard to imagine why one would want to attract flies to the garden. However, flies are one of the most diverse group of pollinators. They include colouful flower flies and hover flies (*Syrphidae*), active bee flies (*Bombyliidae*), and tiny midges

that visit many plant species. Like bees, flies are hairy and can easily transport pollen from flower to flower. Flies primarily pollinate small flowers that bloom under shade and in seasonally moist habitats, but are also economically important as pollinators for a range of annual and bulbous ornamental flowers. Plants pollinated by flies include the American pawpaw (Asimina triloba), skunk cabbage (Symplocarpus foetidus), goldenrod (Solidago spp.), and members of the carrot.

BIRDS

Hummingbirds are the primary birds that play a role in pollination in North America. Their long beaks and tongues draw nectar from tubular flowers. Pollen is carried on both their beaks and feathers. Regions closer to the tropics, with warmer climates, boast the largest number of hummingbird species and the greatest number of native plants to support their need for food. The Ruby-throated Hummingbird (*Archilochus colubris*) is the only common species in Ontario.

Hummingbirds can see the colour red; bees cannot. Many tropical flowers, grown as annuals in the Lake Erie Lowlands, along with native woodland edge plants, attract hummingbirds.

BATS

Though bat species in Canada are not pollinators, bats in the south western United States and Mexico are important pollinators of agave and cactus. The head shape and long tongues of nectar bats allows them to delve into flower blossoms and extract both pollen and nectar; pollen covers their hairy bodies and is transfer as they move from plant to plant.

SPECIES AT RISK

Species at Risk include endangered species, such as the Aweme Borer moth, as well as threatened and special concern species. Some pollinator species, such as the Karner Blue butterfly have already been extirpated from Ontario. Other species are of conservation concern because of their rarity in Ontario, but their formal conservation status has yet to be determined. Because habitat loss is one of the largest threats facing pollinators, the very best thing you can do is plant for them.

Aweme Borer moth

- Aweme is pronounced "ah-wee-mee"
- The most recent sighting of Aweme Borer was on Manitoulin Island in 2005 – the first sighting for the species in almost 70 years.
- Aweme Borer are only active at night and because the host plant for this species is unknown, finding it is even more challenging.
- Threats to Aweme Borer moth populations are due to habitat loss or degradation as a result of agricultural and residential development.

PLANT TRAITS



WHICH FLOWERS DO THE POLLINATORS PREFER?

NOT ALL POLLINATORS ARE found in each province, and some are more important in different parts of Canada. Use this page as a resource to understand the plants and pollinators where you live.

Plants can be grouped together based on the similar characteristics of their flowers. These floral characteristics can be useful to predict the type of pollination method or animal that is most effective for that group of plants. This association between floral characteristics and pollination method is called a pollination syndrome.

The interactions of animal pollinators and plants have influenced the evolution of both groups of organisms. A mutualistic relationship between the pollinator and the plant species helps the pollinator find necessary pollen and nectar sources and helps the plant reproduce by ensuring that pollen is carried from one flower to another.

Plant Trait	Pollinator								
	Bees	Beetles	Birds						
Colour	Bright white, yellow, blue, or UV		Scarlet, orange, red or white						
Nectar Guides	Present	Absent	Absent						
Odour	Fresh, mild, pleasant	None to strongly fruity or fetid	None						
Nectar	Usually present	Sometimes present; not hidden	Ample; deeply hidden						
Pollen	Limited; often sticky and scented	Ample	Modest						
Flower Shape	Shallow; have landing platform; tubular	Large bowl-like, Magnolia	Large funnel like; cups, strong perch support						

This chart and more information on pollinator syndromes can be found at:



AND THE POLLINATORS THEY ATTRACT

Pollinator

Butterflies	Flies	Moths	Wind
Bright, including red and purple	Pale and dull to dark brown or purple; flecked with translucent patches	Pale and dull red, purple, pink or white	Dull green, brown, or colourless; petals absent or reduced
Present	Absent	Absent	Absent
Faint but fresh	Putrid	Strong sweet; emitted at night	None
Ample; deeply hidden	Usually absent	Ample; deeply hidden	None
Limited	Modest in amount	Limited	Abundant; small, smooth, and not sticky
Narrow tube with spur; wide landing pad	Shallow; funnel like or complex and trap-like	Regular; tubular without a lip	Regular; small and stigmas exerted

http://www.fs.fed.us/wildflowers/pollinators/syndromes.shtml

DEVELOPING LANDSCAPE PLANTINGS THAT PROVIDE POLLINATOR HABITAT

WHETHER YOU ARE A FARMER of many hectares, land manager of a large tract of land, or a gardener with a small lot, you can increase the number of pollinators in your area by making conscious choices to include plants that provide essential habitat for bees, butterflies, moths, beetles, hummingbirds and other pollinators.

FOOD:

Flowers provide nectar (high in sugar and necessary amino acids) and pollen (high in protein) to pollinators.

Fermenting fallen fruits also provide food for bees, beetles and butterflies. Specific plants, known as host plants, are eaten by the larvae of pollinators such as butterflies.

- Plant in groups to increase pollination efficiency. If a pollinator can visit the same type of flower over and over, it doesn't have to relearn how to enter the flower and can transfer pollen to the same species, instead of squandering the pollen on unreceptive flowers.
- Plant with bloom season in mind, providing food from early spring to late fall. (see Bloom Periods pp.16-19)
- Plant a diversity of plants to support a variety of pollinators. Flowers of different colour, fragrance, and season of bloom on plants of different heights will attract different pollinator species and provide pollen and nectar throughout the seasons.
- Many herbs and annuals, although not native, are very good for pollinators. Mint, oregano, garlic,

chives, parsley and lavender are just a few herbs that can be planted. Old fashioned zinnias, cosmos, and single sunflowers support bees and butterflies. Non-native crops, herbs, and ornamental flowers should only be planted in gardens.

- Recognize weeds that might be a good source of food. For example, dandelions provide nectar in the early spring before other flowers open. Milkweed is a host for the Monarch butterfly.
- Learn and utilize Integrated Pest Management (IPM) practices to address pest concerns. Minimize or eliminate the use of pesticides.

SHELTER:

Pollinators need protection from severe weather and from predators as well as sites for nesting and roosting.

- Incorporate different canopy layers in the landscape by planting trees, shrubs, and different-sized perennial plants.
- Leave dead snags for nesting sites of bees, and other dead plants and leaf litter for shelter.
- Avoid applying thick layers of mulch that are hard to dig through.
- Build bee boxes to encourage solitary, non-aggressive bees to nest on your property.
- Ground nesting bees are also attracted to lawns and short grass areas, especially if there is a south facing slope.
- Leave some areas of soil uncovered to provide ground nesting insects easy access to underground tunnels.
- Group plantings so that pollinators

can move safely through the landscape protected from predators.

• Include plants that are needed by butterflies during their larval development.

WATER:

A clean, reliable source of water is essential to pollinators.

- Natural and human-made water features such as running water, pools, ponds, and small containers of water provide drinking and bathing opportunities for pollinators.
- Ensure the water sources have a shallow or sloping side so the pollinators can easily approach the water without drowning. Your current landscape probably includes many of these elements. Observe wildlife activity in your farm fields, woodlands, and gardens to determine what actions you can take to encourage other pollinators to feed and nest. Evaluate the placement of individual plants and water sources and use your knowledge of specific pollinator needs to guide your choice and placement of additional plants and other habitat elements. Minor changes by many individuals can positively impact the pollinator populations in your area. Watch for - and enjoy - the changes in your landscape!
- CAUTION LAND MANAGERS: Remember that pesticides are largely toxic to pollinators. Extreme caution is warranted if you choose to use any pesticide. Strategically apply pesticides only for problematic target species.



FARMS

Soybean, alfalfa, blueberry, clover, sunflowers, strawberry and tomatoes are a few of the food crops in the Manitoulin-Lake Simcoe that will benefit from strong native bee populations that boost pollination efficiency. Incorporate different plants throughout the farm that provide food for native populations when targeted crops are not in flower.

Farmers have many opportunities to incorporate pollinator-friendly land management practices on their land which will benefit the farmer in achieving his or her production goals:

• Minimize the use of pesticides to reduce the impact on native pollinators. Spray when bees aren't active (just before dawn) and choose targeted ingredients.

- Be conscientious of the fact that different bees forage at different times of day. *Peponapsis pruinosa*, the squash bee, is active from dawn until noon. In the case of squash production, the best time to spray is in the evening rather than the early morning.
- Carefully consider the use of herbicides. Some weeds can provide needed food for pollinators.
- Minimize tillage to protect ground nesting pollinators.
- Consider creating designated permanently untilled areas for ground nesting bees along internal farm laneways.
- Ensure water sources are scattered throughout the landscape.
- Choose a variety of native plants to act as windbreaks, riparian buffers,

- and field borders throughout the farm.
- Plant unused areas of the farm with temporary cover crops that can provide food or with a variety of trees, shrubs, and flowers that provide both food and shelter for pollinators.
- Check with local not-for-profit organizations, local Conservation Authority or Ministry of Natural Resources and Forestry offices to see what technical support might be available to assist you in your effort to provide nectar, pollen, and larval food sources for pollinators on your farm.



PUBLIC LANDS





Public lands are maintained for specific reasons ranging from high impact recreation to conservation. In the Manitoulin-Lake Simcoe, forests have been cut to allow for roads, energy infrastructure, buildings, open lawn areas, boat ramps, and vistas. These other lands can provide benefits to pollinator when managed correctly. Pollinators are encouraged by timed mowing, opening tree canopies, and planting of native flowers. Less disturbed natural areas can be augmented with plantings of native plant species. Existing plantings around buildings and parking areas should be evaluated to determine if pollinatorfriendly plants can be substituted or added to attract and support pollinators. Public land managers have a unique opportunity to use their plantings as an education tool to help others understand

the importance of pollinators in the environment through signs, brochures, and public programs. In an effort to increase populations of pollinators the land manager can:

- Inventory and become knowledgeable of local pollinators.
- Provide connectivity between vegetation areas by creating corridors of perennials, shrubs, and trees that provide pollinators shelter and food as they move through the landscape.
- Maintain a minimum of lawn areas that support recreational needs.
- Restrict the use of insecticides and herbicides.
- Provide water sources in large open areas.
- Maintain natural meadows and openings that provide habitats for sun-loving wildflowers and grasses.
- Remove invasive species.





Gardeners have a wide array of plants to use in their gardens. Native plants, plants introduced from years of plant exploration from around the world, and plants developed by professional and amateur breeders can be found in garden centres, in catalogs, and on web-sites. Use your knowledge of pollinator needs to guide your choices.

- Choose a variety of plants that will provide nectar and pollen throughout the growing season.
- Resist the urge to have a totally manicured lawn and garden. Leave bare ground for ground nesting bees. Leave areas of dead wood and leaf litter for other insects.
- Find local resources to help you in your efforts. Contact your local garden club or local Conservation Authority. Visit your regional botanic gardens and arboreta.

The scale of your plantings will vary but it is important to remember that you are trying to provide connectivity to the landscape adjacent to your property. Don't just look within your property boundaries. If your neighbour's property provides an essential element, such as water, which can be utilized by pollinators visiting your land, you may be able to devote more space to habitat elements that are missing nearby. It is best to use native plants which have evolved to support the needs of specific native pollinators. Some pollinators, however, are generalists and visit many different plants, both native and non-native. Be sure that any non-native plants you choose to use are not invasive. Remember that specialized cultivars sometimes aren't used by pollinators. Flowers that have been drastically altered, such as cultivars with double petals or completely different colour than the wild species, often prevent pollinators from finding and feeding on the flowers. In addition, some cultivars don't contain the same nectar and pollen resources that attract pollinators to the wild types.

• CAUTION: Take time to evaluate the source of your plant material. You want to ensure you get plants that are healthy and correctly identified. Your local garden club can help you make informed decisions when searching for plants.







The following chart lists plants that attract pollinators. It is not exhaustive, but provides guidance on where to start. Annuals, herbs, weeds, and cover crops provide food and shelter for pollinators, too.

Botanical Name	Common Name	Height	Colour	Flower Season	Sun	Soil Moisture	Pollinators	Also a host
			Trees and	Shrubs				
Acer rubrum	red maple	12-20m+	red, greenish, yellow	March - April	sun to partial shade	dry to wet	bees	х
Acer saccharum	sugar maple	12-20m+	red, greenish, yellow	March - April	sun to partial shade	dry to wet	bees	х
Arctostaphylos uva-ursi	kinnikinnick	<1m	white, cream, pink	May - July	sun to partial shade	well drained to dry	hummingbirds, bees	х
Ceanothus americanus	New Jersey tea	up to 1m	white	June - August	sun to partial sun	dry	bees, flies, beetles, butterflies	х
Cornus alternifolia	alternateleaf dogwood	2-6m	white	April - July	sun to shade	dry to wet	bees, beetles, flies, butterflies	х
Cornus stolonifera	Red-osier Dogwood	1-3m	white	June-August	sun to partial shade	moist	bees, butterflies, flies	х
Gaultheria procumbens	eastern teaberry	<1m	white, cream	April - May	partial shade	well drained, dry to moist	birds	
Hamamelis virginiana	eastern witch-hazel	3-5m	yellow-orange	September - November	sun to shade	moist	moths, beetles	х
llex verticillata	winterberry	1-3m	white, cream, greenish brown	May - June	sun to partial shade	well drained, dry to wet	birds, bees	х
Lindera benzoin	northern spicebush	1-5m	yellow green	March - May	sun to shade	moist	bees, flies	Х
Physocarpus opulifolius	eastern ninebark	1-3m	white	May - June	sun to partial shade	dry to wet	bees, butterflies, flies	х
Populus balsamifera	balsam poplar	up to 25m	white, yellow, green	April - June	sun to partial shade	well drained	bees, flies	
Prunus serotina	black cherry	18-27m	white	April - May	shade to sun	moist	bees, flies, wasps	х
Prunus virginiana	chokecherry	6m+	white	June	sun to partial sun	moist	bees	х
Rhus typhina	staghorn sumac	1-8m	yellow, green	June - August	sun to partial sun	dry to moist, well drained	flies, bees	х
Ribes triste	red currant	1-3m	greenish white, white, pink, red	March - June	sun to shade	moist to dry, well drained	flie, beetles, bees	
Rubus occidentalis	black raspberry	1-3m	white	March - April	sun to partial shade	moist	bees, flies	
Sambucus canadensis	common elderberry	2-3m	white	June - July	sun to partial sun	dry to wet, well drained	bees, bettles, flies	х
Sambucus racemosa	red elderberry	2-5m	white	May - June	sun to partial shade	dry to wet	bees, beetles, flies	х
Tilia americana	basswood	up to 25m	yellow white	April - June	sun to partial shade	moist, well drained	bees, flies, moths	х
Viburnum acerifolium	mapleleaved viburnum	1-2m	white, cream	May - July	sun to shade	dry to moist, well drained	butterflies	х







Botanical Name	Common Name	Height	Colour	Flower Season	Sun	Soil Moisture	Pollinators	Also a host
			Forb	S				
Anemone canadensis	Canada anemone	<1m	white, cream	April-August	sun to shade	moist, well drained	bees	
Aquilegia canadensis	red columbine	1-1.5 m	red with yellow	April - July	partial shade to sun	moist, well drained	hummingbirds, bees, moths	х
Arisaema triphyllum	Jack in the Pulpit	<1m	purple, greenish brown	April-June	deciduous shade (spring sun)	moist to wet, well drained	gnats, thrips	
Asclepias incarnata	Swamp Milkweed	1-1.5 m	purple, pink	June-August	sun	moist to wet	butterflies, bees	Х
Asclepias tuberosa	Butterfly Weed	<1m	yellow, orange	June- September	sun to partial shade	dry, well drained	hummingbirds, butterflies, bees	Х
Campanula gieseckeana	Harebell	<1m	blue, purple	June- September	sun to partial shade	dry, well drained	hummingbirds	
Chelone glabra	white turtlehead	<1m	white, cream, pink	July - September	sun to shade	moist to wet	butterflies, bees	Х
Cirsium discolor	field thistle	<1m	purple, pink	June - September	sun	dry, well drained	butterflies	Х
Coreopsis lanceolata	laceleaf tickseed	up to 1m	yellow	May - August	sun to partial sun	moist to dry	bees, butterflies	
Dasiphora fruticosa	shrubby cinquefoil	1-1.5 m	yellow, white, cream	June- September	sun	dry, well drained	butterflies, bees	
Desmodium canadense	showy tick trefoil	up to 2m	purple, pink	July - August	sun to partial shade	dry to moist, well drained	hummingbirds, bees	Х
Erigeron spp.	daisy fleabanes	up to 1m	white, yellow	May - September	partial sun to sun	moist to wet	bees, flies, butterflies, moths	х
Eupatorium perfoliatum	common boneset	1-1.5 m	white	July - Septepmber	sun	well drained to moist	bees, butterflies, flies	
Euthamia graminifolia	flat-top goldentop	1-1.5 m	yellow	July - October	sun	moist to well drained	butterflies, bees	
Eutrochium maculatum	Spotted Joe Pye Weed	1-2m	pink, purple	July- September	sun to partial shade	wet to moist	bees, butterflies	Х
Gentiana andrewsii	closed gentian	<1m	blue, purple	August- September	sun to partial shade	moist to wet, well drained	bees	
Geranium maculatum	wild geranium	<1m	purple, pink	April-June	sun to partial shade	dry, well drained	butterflies, bees	х
Helenium autumnale	sneezeweed	1-1.5m	yellow, brown	July - September	sun to partial shade	moist to wet	bees, wasps, flies, butterflies	х
Helianthus divaricatus	Woodland Sunflower	1-1.5 m	yellow	July- September	sun to partial shade	dry, well drained	butterflies, bees	х
Heliopsis helianthoides	false sunflower	1m	yellow	July - October	sun	dry to moderately moist	bees, butterflies	

CONTINUED ON PAGE 18

PLANTS THAT ATTRACT POLLINATORS IN THE MANITOULIN-LAKE SIMCOE

Botanical Name	Common Name	Height	Colour	Flower Season	Sun	Soil Moisture	Pollinators	Also a host
Iris versicolor	Wild Blue Iris	<1m	blue, purple	May-August	sun to partial shade	moist to wet	hummingbirds, bees	
Lespedeza capitata	roundhead lespedeza	1-1.5 m	white, cream, greenish brown	August - October	sun to partial shade	dry to well drained	bees	
Lilium philadelphicum	wood lily	<1m	red, orange	June-August	sun to partial shade	dry	hummingbirds	
Lobelia cardinalis	cardinal flower	1-1.5m	red	August - October	sun to partial shade	moist to wet	bees, hummingbirds	
Lobelia siphilitica	great blue lobelia	1-1.5 m	blue	August- September	sun to partial shade	moist to wet, well drained	hummingbirds, butterflies, bees	
Lysimachia ciliata	fringed loosestrife	1-1.5 m	yellow	June-August	partial shade to shade	moist	bees	
Lysimachia terrestris	swamp candles	<1m	yellow	June-August	sun to partial shade	moist	bees	
Mentha canadensis	Canada mint	<1m	white to pink, violet	July-October	partial shade	moist to wet	bees	
Monarda didyma	beebalm	1-2m	scarlet red	July - September	sun to partial shade	moist to wet	hummingbirds, butterflies, bees	Х
Monarda fistulosa	wild bergamot	1m	lavendar pink to violet blue	July - September	sun to partial sun	moist	butterflies, hummingbirds, bees, wasps,	Х
Packera paupercula	balsam ragwort	<1m	yellow	May-August	partial shade	moist	bees	
Penstemon hirsutus	hairy beardtongue	<1m	purple, pink	May-July	sun to partial shade	dry, well drained	hummingbirds, bees	
Phlox divaricata	wild blue phlox	<1m	pale blue to lavender (or white)	April - June	partial shade	moist	butterflies, moth, bees	
Phystostegia virginiana	obedient plant	1-1.5 m	pink to pale lilac	August- November	sun to shade	moist	hummingbirds, butterflies	
Potentilla arguta	tall cinquefoil	<1m	white, cream	June - September	sun	dry to well drained		
Rudbeckia hirta	black-eyed Susan	1-1.5m	yellow with dark brown center	June - September	sun to partial sun	moist to dry	bees, butterflies, beetles, wasps	х
Rudbeckia laciniata	cutleaf coneflower	1-3m	yellow, brown	June - September	sun to partial shade	moist to dry	bees, butterflies, beetles, wasps	х
Sisyrinchium montanum	strict blue-eyed grass	<1m	blue, purple	May - July	sun to shade	dry to wet, well drained		
Solidago altissima	late goldenrod	up to 2m	yellow	August - November	partial shade	moist	butterflies, bees	
Solidago canadensis	Canada goldenrod	1-1.5 m	yellow, orange	July-October	sun to partial shade	dry, well drained	butterflies, bees	
Solidago juncea	early goldenrod	1-1.5 m	yellow	July- September	sun to partial shade	dry, well drained	butterflies, bees	
Solidago nemoralis	grey goldenrod	1m	yellow	August- October	sun to partial shade	dry	butterflies, bees	
Solidago ptarmicoices	prairie goldenrod	up to 1m	white	July - September	sun	dry to well drained	bees, flies, butterflies	
Spiraea tomentosa	steeplebush	1-1.5m	purple, pink	July- September	sun to partial shade	moist	butterflies	х





Botanical Name	Common Name	Height	Colour	Flower Season	Sun	Soil Moisture	Pollinators	Also a host
Symphyotrichum ciliolatum	fringed blue aster	up to 1m	blue, purple	July-October	sun	dry, well drained	butterflies	Х
Symphyotrichum cordifolium	heart-leaf aster	1-2m	white to purple	June - August	sun	moist	bees, butterflies, flies	
Symphyotrichum ericoides	heath aster	up to 2m	white, cream	August- October	sun	dry to moist, well drained	butterflies, bees	Х
Symphyotrichum laeve	smooth blue aster	1-1.5 m	blue, purple	August - November	sun	dry	butterflies	Х
Symphyotrichum oolentangiense	azure aster	up to 1m	blue to purple	September - November	sun to partial shade	dry to well drained	bees, butterflies, flies	
Symphyotrichum pilosum	hairy white oldfield aster	up to 2m	white, pink, purple	July - August	sun	moist	bees, butterflies, flies	
Symphyotrichum novae- angliae	New England aster	up to 1m	purple	September - October	sun to partial shade	moist, well- drained	bees, butterflies, flies	
Verbena hastata	swamp verbena	up to 2m	blue, purple	June - September	sun to partial shade	moist to wet, well drained	butterflies, bees	х
Verbena stricta	hoary vervain	less than 1m	purple	July - September	sun	dry, drained to sandy	bees, butterflies	х
Zizia aurea	golden Alexanders	up to 1m	yellow	May - July	sun to partial sun	moist to wet	flies, bees	х
			Vine	es				
Parthenocissus quinquefolia	Virginia creeper	15m+	greenish white	May - June	sun to shade	dry to moist	bees, flies	х
			Shelter I	Plants				
Andropogon gerardii	big bluestem	1-2.5m	yellow to brown	August - November	sun to partial shade	moist		
Bromus kalmii	arctic brome	<1m	yellow, geenish brown	June - August	sun to partial shade	dry, moist	butterflies	Х
Carex comosa	longhair sedge	1-1.5 m	greenish brown	May - July	sun to partial shade	moist to wet		
Carex crinita	fringed sedge	1-1.5 m	greenish brown	May - July	partial shade to shade	moist to wet		
Carex stipata	awlfruit sedge	<1m	greenish brown	May - June	sun to partial shade	moist to wet		
Carex vulpinoidea	fox sedge	<1m	greenish brown	May - June	sun	moist to wet		
Elymus canadensis	Canada wildrye	1-1.5m	yellow, green, brown	March - June	sun to partial shade	moist		
Juncus tenuis	poverty rush	<1m	greenish brown	May - September	sun to partial shade	moist to wet, well drained		
Juncus torreyi	Torrey's rush	<1m	greenish brown	August - October	sun	moist		
Scirpus atrovirens	green bulrush	1-1.5m	greenish brown	June - July	sun to partial shade	moist to wet		
Sorghastrum nutans	indiangrass	<1m	yellow	August - September	sun to partial shade	dry to moist, well drained	butterflies	х
Sporobolus cryptandrus	sand dropseed	<1m	yellow	May - November	sun to partial shade	dry		

HABITAT HINTS

FOR THE MANITOULIN-LAKE SIMCOE

BEE-POLLINATED GARDEN FLOWERS AND CROPS											
	Bumble	Digger	Lg Carpenter	Sm Carpenter	Squash/ Gourd	Leafcutter	Mason	Sweat	Plasterer	Yellow- faced	Andrenid
FLOWERS											
Catalpa			Х								
Catnip	х	Х					Х				
Clover		Х									х
Columbine	х										
Cow parsley										Х	
Goldenrod	х	Х				Х		Х			
Impatiens	х										
Irises	х		Х								
Lavender	х	Х	х			х					
Milkwort								Х			
Morning glory				Х							
Penstemon	х	Х					Х				
Phacelia	х	Х		Х		Х	Х	Х	Х		х
Potentilla										Х	
Rose	х		Х				Х	Х		Х	
Salvia	х	Х	Х			Х	Х				
Saxifrages								Х		Х	
Sorrel				Х							
Sunflowers	х	Х	Х	Х		Х		Х	Х		х
Violet								Х			Х
Wild Mustard		Х							Х		
Willow catkins									Х		х
					CROPS						
Apple							Х				
Blueberry	х	Х									х
Cherry							Х				х
Eggplant	х		х					Х			
Gooseberry	х										Х
Legumes	х	Х				Х		Х			
Water melon	х							Х			
Squash/ Pumpkins/ Gourds			х		Х						
Tomatoes	х	Х	х					Х			
Thyme	х	Х					Х	Х		Х	



HABITAT AND NESTING REQUIREMENTS:

Honey Bees:

Honey bees are colonial cavity nesters. Occasionally in the spring and summer you might encounter a swarm of honey bees on the move to a new home. The majority of honey bees are managed by beekeepers in hives. Beekeepers with commercial operations can have bee yards with tens to hundreds of hives commonly in agricultural, rural and some natural habitats. In urban and garden settings it is common to see a single or a handful of honey bee hives — usually wooden boxes painted white or other light colours. Give honey bees space and don't approach their hive. Even beekeepers minimize the amount of time they spend working bees. Honey bees have different feeding needs than native bees. Their colony can last multiple years and they feed on flowers from the beginning of spring bloom to the fall. Honey bees visit crops when they are in bloom and forage on a diversity of wildflowers as well. Honey bees also need plants that produce a large amount of nectar to make honey. Clovers, lavenders, mints, and sages are great nectar sources. Honey bees also like to feed off of the pollen of trees and shrubs such as maples, willows, and roses. Fields of goldenrod are an excellent pollen source.

Bumble Bees:

Bumble bees nest in cavities such as abandoned mouse nests, other rodent burrows, upside down flower pots, under boards, and other human-made cavities. Colonies are founded by a queen in the spring. The number of workers in a colony can grow to upward of 200 at the peak of summer bloom. Bumble bee colonies die out in the fall after producing new queens. New queens mate and then overwinter, hiding in cracks or small crevices. Bumble bees are usually active during the morning hours and forage at colder temperatures than honey bees, even flying in light rain.

Large carpenter bees:

Large carpenter bees chew nests into dead wood, poplar, cottonwood or willow trunks and limbs. The also make nests in structural timbers including redwood and cedar. Depending on the species, there may be one or two brood cycles per year. These bees can be active all day even in the hottest and coolest weather.

Digger bees:

Digger bees can be found nesting in sandy, compacted soils, and along stream banksides. These bees are usually active in the morning hours, but can be seen at other times of the day as well. To attract these bees have some areas of exposed soil in your garden and avoid applying thick layers of mulch that are hard to dig through.

Small carpenter bees:

Small carpenter bees chew into pithy stems, including roses and blackberry canes, where they make their nests. These bees are more active in the morning but can be found at other times.

Squash and Gourd bees:

Squash and gourd bees prefer to nest in sandy soil but also may nest in gardens (where pumpkins, squash and gourds are grown). These bees are early risers and can be found in pumpkin patches before dawn. Males often sleep in wilted squash flowers.

Leaf-cutting bees:

Leaf-cutting bees nest in pre-existing circular tunnels of various diameters in dead wood created by emerging beetles. Some also nest in the ground. Leafcutter bees line and cap their nests with leaves or flower petals. These bees can be seen foraging throughout the day even in very hot weather.

Mason bees

Mason bees use pre-existing tunnels of various diameters in dead wood made by emerging beetles, or human-made nesting substrates such as drilled wood blocks or cardboard tubes. These bees get their name from the fact that they cap their nests with mud. Mason bees are generally more active in the morning hours.

Sweat bees:

Sweat bees need bare ground in sunny areas not covered by vegetation for nesting. Some will nest in small pre-existing holes, much like leaf-cutting or mason bees. Like most bees, sweat bees forage for pollen earlier in the morning and then for nectar later in the day. To help these bees nest, keep some parts of your garden exposed and avoid applying thick layers of mulch that are hard to dig through.

Plasterer or cellophane bees:

Plasterer or cellophane bees get their name from the unique, clear waterproof lining they make around their nest. Similar to sweat bees they prefer bare ground, stream banks or slopes. These bees can be active in the morning or later in the day.

Yellow-faced bees:

Yellow-faced bees are tiny, hairless bees that make their nesting by chewing into small dead stems. These bees are more active during morning hours.

Mining bees:

Mining bees prefer sunny, bare ground, and sand soil. They are also known to nest under leaf litter or in the soil along banksides and cliffs. Mining bees are active in the spring and most commonly seen on flowers during the morning when pollen and nectar resources are abundant.

A BASIC CHECKLIST

S.H.A.R.E. - SIMPLY HAVE AREAS RESERVED FOR THE ENVIRONMENT.

- Planting for pollinators is the first step. Put your pollinator habitat on the S.H.A.R.E. map and connect to pollinator conservation efforts across North America. Visit pollinator.org/SHARE
- Farmers can also certify their habitat with Bee-Friendly Farming. Visit pollinator.org/bff

BECOME FAMILIAR WITH POLLINATORS IN YOUR LANDSCAPE.

- Watch for activity throughout the day and the seasons.
- Keep a simple notebook of when and what comes to your garden.
- Take part in citizen science monitoring and get involved in local programs.
- Consult a local field guide or web site when you are ready to learn more details.

ADD NATIVE PLANTS TO ATTRACT MORE NATIVE POLLINATORS.

- **%** List the plants you currently have in your landscape.
- Determine when you need additional flowers to provide nectar and pollen throughout the growing season.
- Add plants that provide additional seasons of bloom, create variable heights for shelter, and attract the types of pollinators you want.
- Mon't forget to include host plants that provide food and shelter for larval development.
- **%** Contact your local native plant society or extension agent for more help.

USE POLLINATOR FRIENDLY LANDSCAPE PRACTICES TO SUPPORT THE POLLINATORS YOU ATTRACT.

- We Integrated Pest Management (IPM) practices to address pest concerns.
- Tolerate a little mess leave dead snags and leaf litter, keep areas bare for ground nesting insects, and leave some weeds that provide food for pollinators.
- Provide safe access to clean water.

NOTICE THE CHANGES THAT YOU HAVE HELPED TO CREATE!





Many books, websites, and people were consulted to gather information for this guide. Use this list as a starting point to learn more about pollinators and plants in your area.

ECOREGION PROFILE

Manitoulin-Lake Simcoe

http://www.statcan.gc.ca/pub/16-002-x/2010001/article/11135-eng.htm

Environment Canada Ecozones Program – Manitoulin-Lake Simcoe http://www.ecozones.ca/english/region/134.html

Government of Ontario - Species at Risk

https://www.ontario.ca/page/species-risk

POLLINATION/POLLINATORS

Pollinator Partnership

www.pollinator.org

North American Pollinator Protection Campaign

www.nappc.org

Pollination Canada

www.pollinationcanada.ca

Seeds of Diversity

www.seeds.ca

Canadian Biodiversity Information Facility: Butterflies of Canada

www.cbif.gc.ca/eng/species-bank/butterflies-of-canada/?id=1370403265518

North American Butterfly Association

www.naba.org

Canadian Honey Council

www.honeycouncil.ca

Buchmann, S.L. and G.P. Nabhan. 1997. The Forgotten Pollinators Island Press: Washington, DC.

Committee on the Status of Pollinators in North America. 2007. Status of Pollinators in North America The National Academies Press: Washington, DC.

NATIVE PLANTS

Tallgrass Ontario

www.tallgrassontario.org

Ontario Wildflowers

www.ontariowildflowers.com

Toronto Botanical Garden

www.torontobotanicalgarden.ca

Royal Botanical Gardens

www.rbg.ca

FEEDBACK

We need your help to create better guides for other parts of North America. Please e-mail your input to feedback@pollinator.org.

- **%** How will you use this guide?
- **%** Do you find the directions clear? If not, please tell us what is unclear.
- Is there any information you feel is missing from the guide?
- **%** Any other comments?

THANK YOU
FOR TAKING
THE TIME TO HELP!



RESEARCH AND WRITING:

MARY-KATE GILBERTSON MELISSA TONGE VICTORIA WOJCIK

EDITORIAL:

MARY B. GALEA, VICTORIA WOJCIK

DESIGN:

MARGUERITE MEYER

FUNDING:

Growing Forward 2, a federal-provincial-territorial initiative.

PHOTO CONTRIBUTORS

Lara Roketenetz, Tim Dunne, Balalaika,

Cover butterfly: Kim Davis kimandmikeontheroad.com,

Cover lighthouse: kinnearandchung, Cover foliage:BrianLasenby

ILLUSTRATIONS:

Carolyn Vibbert



For a copy of this brochure, or for another region, visit www.pollinatorpartnership.ca